



GOVERNMENT OF BERMUDA
Ministry of Health

SURVEILLANCE SUMMARY REPORT 2026:

EPIDEMIOLOGICAL WEEKS 33 – 36: 16 AUGUST 2026 – 12 SEPTEMBER 2026

The Surveillance Summary Report contains information on syndromes and communicable diseases reported into the Epidemiology and Surveillance Unit by Epidemiological Week (or as otherwise indicated). The Report currently contains 3 sections:

1. [Syndromic Surveillance](#)
2. [Conditions of Interest](#) – Influenza, COVID-19, and SARI (Severe Acute Respiratory Infection)
3. [Routine Communicable Disease Surveillance](#)

REPORT BASED ON DATA RECEIVED IN THE EPIDEMIOLOGY AND SURVEILLANCE UNIT BY 16 SEPTEMBER 2026

Epidemiology and Surveillance Unit

Phone: (441) 278-4900

E-mail: epidemiology@gov.bm

Website : www.gov.bm/health-information

Syndromic Surveillance

Syndromic surveillance is the analysis of health-related data to detect or anticipate disease outbreaks. Action on an increase or alert in the reported syndromes under surveillance could potentially stop or slow the spread of the outbreak. The syndromes under surveillance are as follows:

Acute Flaccid Paralysis (AFP): Acute (sudden) onset of flaccid paralysis in the absence of trauma. *Any patient in whom a healthcare worker suspects acute flaccid paralysis is considered to be a suspected case of poliomyelitis.*

Fever and Haemorrhagic symptoms: Acute (sudden) onset of fever ($> 38.0^{\circ}\text{C}$ or 100.4°F) in a previously healthy person, presenting with at least one haemorrhagic (bleeding) manifestation with or without jaundice (e.g. purpura, epistaxis, haemoptysis, melena).

Fever and Neurological symptoms (except AFP): Acute (sudden) onset of fever ($> 38.0^{\circ}\text{C}$ or 100.4°F) with or without headache and vomiting in a previously healthy person presenting with at least one of the following signs: meningeal irritation, convulsions, altered consciousness, altered sensory manifestations, paralysis except AFP.

Fever and Rash: Acute (sudden) febrile illness ($> 38.0^{\circ}\text{C}$ or 100.4°F) in a previously healthy person, presenting generalized rash. *Any patient in whom a healthcare worker suspects measles or rubella infection is considered to be a suspected measles/rubella case. These patients generally have fever and generalized rash illnesses.*

Fever and Respiratory Symptoms (Acute Respiratory Infection): Acute (sudden) febrile illness ($> 38.0^{\circ}\text{C}$ or 100.4°F) in a previously healthy person, presenting with cough or sore throat with or without respiratory distress.

Gastroenteritis: Acute (sudden) onset of diarrhoea, with or without fever ($> 38^{\circ}\text{C}$ or 100.4°F) and presenting with 3 or more loose or watery stools in the past 24 hours, with or without dehydration, vomiting and/or visible blood.

Undifferentiated Fever: An acute (sudden) febrile illness ($> 38.0^{\circ}\text{C}$ or 100.4°F) in a previously healthy person of less than 7 days duration with two or more of the following manifestations: headache, retro-orbital pain, myalgia, arthralgia, nausea, vomiting, jaundice – AND without any particular symptoms fitting another syndrome definition.

Reported Syndromes

Syndromes reported in EWs 33-36 included Fever and Rash (hand, foot and mouth disease, varicella zoster), Fever and Respiratory (adenovirus, common cold, coronavirus "seasonal", COVID-19, haemophilus influenzae, human metapneumovirus, influenza, parainfluenza, RSV, strep throat, streptococcus pneumoniae) Gastroenteritis (c. difficile, campylobacter, clinically confirmed ciguatera, cyclospora, e. coli, giardia, listeria, plesiomonas, sapovirus, yersinia enterocolitica, other unspecified foodborne illnesses).

Alert levels are used to identify potential public health risks. A risk assessment is used to determine any public health action.

During EWs 33-36, there were alerts for the following syndromes: Fever and Rash, Gastroenteritis.

Epidemiological Week 33

Syndrome	# of Reported Cases	5-Yr Average*	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	0	0	1	LOW
Fever and Rash	2	0	1	3	MEDIUM
Fever and Respiratory Symptoms (under 5 years)	6	5	10	20	LOW
Fever and Respiratory Symptoms (5 years and older)	15	28	43	73	LOW
Gastroenteritis (under 5 years)	0	1	1	3	LOW
Gastroenteritis (5 years and older)	4	4	7	14	LOW
Undifferentiated Fever (under 5 years)	0	0	0	0	LOW
Undifferentiated Fever (5 years and older)	0	0	0	0	LOW
% of sentinel sites reporting					92.86%

Epidemiological Week 34

Syndrome	# of Reported Cases	5-Yr Average*	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	0	0	0	LOW
Fever and Rash	1	1	1	3	LOW
Fever and Respiratory Symptoms (under 5 years)	0	5	10	21	LOW
Fever and Respiratory Symptoms (5 years and older)	23	32	56	104	LOW
Gastroenteritis (under 5 years)	1	1	1	3	LOW
Gastroenteritis (5 years and older)	9	4	7	14	MEDIUM
Undifferentiated Fever (under 5 years)	0	0	0	0	LOW
Undifferentiated Fever (5 years and older)	0	0	0	0	LOW
% of sentinel sites reporting					89.29%

Epidemiological Week 35

Syndrome	# of Reported Cases	5-Yr Average*	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	0	0	0	LOW
Fever and Rash	2	1	1	3	MEDIUM
Fever and Respiratory Symptoms (under 5 years)	1	5	11	23	LOW
Fever and Respiratory Symptoms (5 years and older)	23	36	71	142	LOW
Gastroenteritis (under 5 years)	1	1	1	3	LOW
Gastroenteritis (5 years and older)	9	4	7	13	MEDIUM
Undifferentiated Fever (under 5 years)	0	0	0	0	LOW
Undifferentiated Fever (5 years and older)	0	0	0	0	LOW
% of sentinel sites reporting					89.29%

Epidemiological Week 36

Syndrome	# of Reported Cases	5-Yr Average*	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	0	0	0	LOW
Fever and Rash	0	1	3	6	LOW
Fever and Respiratory Symptoms (under 5 years)	0	5	11	23	LOW
Fever and Respiratory Symptoms (5 years and older)	20	37	75	149	LOW
Gastroenteritis (under 5 years)	0	1	2	3	LOW
Gastroenteritis (5 years and older)	4	4	7	13	LOW
Undifferentiated Fever (under 5 years)	0	0	0	0	LOW
Undifferentiated Fever (5 years and older)	0	0	0	0	LOW
% of sentinel sites reporting					92.86%

4-Week Summary: Epidemiological Weeks 33-36

Syndrome	# of Reported Cases	5-Yr Average	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	0	0	1	LOW
Fever and Rash	5	2	7	16	LOW
Fever and Respiratory Symptoms (under 5 years)	7	21	43	86	LOW
Fever and Respiratory Symptoms (5 years and older)	81	132	244	467	LOW
Gastroenteritis (under 5 years)	2	2	5	12	LOW
Gastroenteritis (5 years and older)	26	16	28	53	LOW
Undifferentiated Fever (under 5 years)	0	0	0	0	LOW
Undifferentiated Fever (5 years and older)	0	0	0	0	LOW

Cumulative Summary: Epidemiological Weeks 1-36


Syndrome	# of Reported Cases	5-Yr Average	Medium Alert Threshold**	High Alert Threshold***	Alert Level
Acute Flaccid Paralysis	0	0	0	0	LOW
Fever and Haemorrhagic Symptoms	0	0	0	0	LOW
Fever and Neurological Symptoms	0	2	10	26	LOW
Fever and Rash	29	18	48	109	LOW
Fever and Respiratory Symptoms (under 5 years)	122	162	311	610	LOW
Fever and Respiratory Symptoms (5 years and older)	821	1199	1960	3481	LOW
Gastroenteritis (under 5 years)	18	26	61	132	LOW
Gastroenteritis (5 years and older)	128	140	233	418	LOW
Undifferentiated Fever (under 5 years)	0	1	7	19	LOW
Undifferentiated Fever (5 years and older)	0	1	5	14	LOW

*5-Yr Average calculated by summing the incidence counts for the current week, the 2 weeks preceding the current week, and the 2 weeks following the current week, for a total of 5 preceding years.


** Medium Alert Threshold is set at 1 standard deviation above 5-yr average

*** High Alert Threshold is set at 3 standard deviations above 5-year average


ACUTE FLACCID PARALYSIS




FEVER AND HAEMORRHAGIC SYMPTOMS




FEVER AND NEUROLOGICAL SYMPTOMS




FEVER AND RASH




FEVER AND RESPIRATORY SYMPTOMS IN PERSONS AGED UNDER 5 YEARS




FEVER AND RESPIRATORY SYMPTOMS IN PERSONS AGED 5 YEARS AND OLDER




GASTROENTERITIS IN PERSONS AGED UNDER 5 YEARS




GASTROENTERITIS IN PERSONS AGED 5 YEARS AND OLDER



UNDIFFERENTIATED FEVER IN PERSONS AGED UNDER 5 YEARS



UNDIFFERENTIATED FEVER IN PERSONS AGED 5 YEARS AND OLDER




Conditions of Interest: Influenza, COVID-19, and Severe Acute Respiratory Infection (SARI)

Note: Each condition in this section is displayed using a logarithmic (log) scale. This improves visualization by allowing clearer interpretation of week-to-week changes, especially when case counts, including historical data, vary across a wide range. Surveillance case definitions accompany each graph.

Influenza:


Clinical (or suspect): A person with fever, headache, myalgia, and cough

Laboratory confirmed: A clinical or suspect case with positive laboratory findings




COVID-19:

A person with laboratory or antigen test confirmation of COVID-19 infection, irrespective of clinical signs and symptoms



Severe Acute Respiratory Infection (SARI):

An acute respiratory infection with history of fever or measured fever of $\geq 38^{\circ}\text{C}$ and cough, with onset within the last 10 days, and requiring hospitalization.



Summary

During EWs 33-36, reported influenza cases decreased from 6 in EW 33 to 4 in EWs 34 and 35 before increasing slightly to 5 in EW 36. Influenza activity remained relatively stable overall, with reported cases consistently recorded each week. The continued detection of cases may indicate ongoing circulation and suggests that the influenza season has likely begun.

During EWs 33-36, reported COVID-19 cases increased from 2 in EW 33 to 3 in EWs 34 and 35 before declining to 1 in EW 36. COVID-19 activity remained low and fluctuated slightly over the reporting period. This pattern may indicate continued low-level or sporadic transmission.

During EWs 33-36, reported SARI cases increased from 1 in EW 33 to 2 in EW 34, 4 in EW 35, and 5 in EW 36. SARI activity showed a gradual upward trend across the four-week period, although the overall number of reported cases remained low. This pattern may indicate increasing activity while continuing to reflect low levels of severe respiratory illness.

Routine Communicable Disease Surveillance (EWs 33-36, 2026)

Communicable diseases reported in this period are shown in the table below, along with cumulative totals comparing the same period last year.

An observed increase in confirmed cases does not necessarily indicate a true increase in disease incidence. Changes may reflect factors such as improved diagnostic capacity, greater access to testing, or increased awareness of circulating infections, both locally and internationally.

Where the relative level is above expected (indicated in red), further epidemiological review may be undertaken to assess whether clusters of illness or outbreaks are occurring. The need for additional investigation depends on several factors, including the severity of the disease, its potential for spread, and the availability of appropriate control measures.

DISEASES/PATHOGENS	Total Lab Conf. Cases	Cumulative Total (Lab Conf. cases)	
		Curr. Yr	Last Yr.
Diseases Reportable under the International Health Regulations			
Cholera	0	0	0
Human Influenza (new sub-type)	0	0	0
Pneumonic Plague	0	0	0
Poliomyelitis	0	0	0
Severe Acute Respiratory Syndrome (SARS)	0	0	0
Yellow Fever	0	0	0
Air Borne Diseases			
Adenoviruses	1	13	16
COVID-19	9	40	226
Human Metapneumovirus [hMPV]	1	35	52
Influenza	18	194	231
Respiratory Syncytial Virus [RSV]	1	28	109
Tuberculosis - Extrapulmonary	0	0	1
Tuberculosis - Pulmonary	0	0	3
Vaccine Preventable Diseases under the Caribbean Expanded Programme on Immunization			
Chicken Pox [Varicella] (clinically confirmed)	0	5	7
Diphtheria	0	0	0
Measles	0	0	0
Meningitis [due to Haemophilus influenzae]	0	0	0
Meningitis [due to Streptococcus pneumoniae]	0	1	1
Meningococcal Infection [due to Neisseria meningitidis]	0	0	0
Mumps	0	0	0
Pertussis [Whooping Cough]	0	0	2
Pneumonia [due to Haemophilus Influenzae]	0	0	0
Pneumonia [due to Streptococcus pneumoniae]	1	1	0
Rotavirus	0	0	10
Rubella [Congenital German Measles]	0	0	0
Rubella [German Measles]	0	0	0
Tetanus [excluding Neonatal]	0	0	0
Tetanus Neonatorum	0	0	0
Vector Borne Diseases			
Chagas Disease	0	0	0
Chikungunya	0	0	0
Dengue Fever	0	2	0
Dengue Haemorrhagic Fever/Shock Syndrome	0	0	0
Leptospirosis	1	1	1
Malaria	0	0	1
Zika	0	0	0
Food and Water Borne Pathogens			
Campylobacter	6	23	26
Ciguatera Poisoning (clinically confirmed)	0	5	0
Cryptosporidium	0	2	2
E. Coli (pathogenic)	0	24	40
Giardia	0	3	2
Hepatitis A	0	1	1
Listeria	1	1	0
Norovirus	0	1	6
Salmonella	0	16	16
Shigella	0	0	3
Staphylococcus (pathogenic)	0	0	0
Toxoplasma	0	0	0
Typhoid and Paratyphoid	0	0	0
Vibrio (excluding Cholera)	0	0	0
Other Diseases			
Viral Encephalitis/Meningitis	0	0	0
Hepatitis B	0	0	3
Hepatitis C	0	1	7
Leprosy (Hansens Disease)	0	0	0
Meningitis/Encephalitis (not specified)	0	2	3
Rabies (In Humans)	0	0	0
Specific Diseases under Country Surveillance			
Chlamydia	15	134	177
Gonorrhoea	1	7	9
Herpes	2	23	11
Syphilis	0	4	5

EPIDEMIOLOGICAL WEEKS 2026

WEEK	FROM	TO
1	4-Jan-26	10-Jan-26
2	11-Jan-26	17-Jan-26
3	18-Jan-26	24-Jan-26
4	25-Jan-26	31-Jan-26
5	1-Feb-26	7-Feb-26
6	8-Feb-26	14-Feb-26
7	15-Feb-26	21-Feb-26
8	22-Feb-26	28-Feb-26
9	1-Mar-26	7-Mar-26
10	8-Mar-26	14-Mar-26
11	15-Mar-26	21-Mar-26
12	22-Mar-26	28-Mar-26
13	29-Mar-26	4-Apr-26
14	5-Apr-26	11-Apr-26
15	12-Apr-26	18-Apr-26
16	19-Apr-26	25-Apr-26
17	26-Apr-26	2-May-26
18	3-May-26	9-May-26
19	10-May-26	16-May-26
20	17-May-26	23-May-26
21	24-May-26	30-May-26
22	31-May-26	6-Jun-26
23	7-Jun-26	13-Jun-26
24	14-Jun-26	20-Jun-26
25	21-Jun-26	27-Jun-26
26	28-Jun-26	4-Jul-26

WEEK	FROM	TO
27	5-Jul-26	11-Jul-26
28	12-Jul-26	18-Jul-26
29	19-Jul-26	25-Jul-26
30	26-Jul-26	1-Aug-26
31	2-Aug-26	8-Aug-26
32	9-Aug-26	15-Aug-26
33	16-Aug-26	22-Aug-26
34	23-Aug-26	29-Aug-26
35	30-Aug-26	5-Sep-26
36	6-Sep-26	12-Sep-26
37	13-Sep-26	19-Sep-26
38	20-Sep-26	26-Sep-26
39	27-Sep-26	3-Oct-26
40	4-Oct-26	10-Oct-26
41	11-Oct-26	17-Oct-26
42	18-Oct-26	24-Oct-26
43	25-Oct-26	31-Oct-26
44	1-Nov-26	7-Nov-26
45	8-Nov-26	14-Nov-26
46	15-Nov-26	21-Nov-26
47	22-Nov-26	28-Nov-26
48	29-Nov-26	5-Dec-26
49	6-Dec-26	12-Dec-26
50	13-Dec-26	19-Dec-26
51	20-Dec-26	26-Dec-26
52	27-Dec-26	2-Jan-27